

Printing date 04/06/2023

1 Identification

* Product identifier

- * Trade name: Flexoclean FC1000 SL
- * Application of the substance / the mixture Cleaning agent/ Cleaner
- * Details of the supplier of the safety data sheet
- * Manufacturer/Supplier: Clean Solutions Group Bliek 8 4941 SG Raamsdonksveer - NL Tel.: +31 (0)162 - 57 6 222 Email: info@cleansolutionsgroup.eu
- Website: www.cleansolutionsgroup.eu * Emergency telephone number: Clean Solutions Group: +31 (0)162 - 57 62 29 National Capital Poison Center: 1-800-222-1222 These services are only available to health professionals

2 Hazard(s) identification

* Classification of the substance or mixture

Eye Irritation 2A H319 Causes serious eye irritation.

* Label elements

* GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- * Hazard pictograms



* Signal word Warning

* Hazard statements

H319 Causes serious eye irritation.

* Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- * Other hazards
- * Results of PBT and vPvB assessment
- * **PBT:** Not applicable.
- * **vPvB:** Not applicable.

3 Composition/information on ingredients

* Chemical characterization: Mixtures

* **Description:** Mixture of the substances listed below with nonhazardous additions.

* Dangerous components:

105-59-9 2,2'-(methylimino)diethanol	1-5%
Eye Irritation 2A, H319	
(Contd. or	n page 2)

Reviewed on 04/06/2023



Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name:	Flexoclean	FC1000 SL
-------------	------------	-----------

(Contd. o	f page 1)
122-99-6 2-phenoxyethanol	1-5%
Acute Toxicity - Oral 3, H301; 🚸 Eye Irritation 2A, H319	
2605-79-0 Alkyl dimethylamine oxide	≤1%
🚸 Acute Toxicity - Oral 3, H301; 🚸 Eye Damage 1, H318	

4 First-aid measures

- * Description of first aid measures
- * After inhalation: Supply fresh air; consult doctor in case of complaints.
- * After skin contact: Immediately rinse with water.
- * After eye contact: Rinse opened eye for several minutes under running water.
- * After swallowing: If symptoms persist consult doctor.
- * Information for doctor:
- * Most important symptoms and effects, both acute and delayed No further relevant information available.
- * Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- * Extinguishing media
- * Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- * Special hazards arising from the substance or mixture No further relevant information available.
- * Advice for firefighters
- * Protective equipment: No special measures required.

6 Accidental release measures

- * Personal precautions, protective equipment and emergency procedures Not required.
- * Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- * Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

* Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. * Protective Action Criteria for Chemicals * PAC-1: 122-99-6 2-phenoxyethanol 141-43-5 2-aminoethanol 6 pom 7 possible protection protection equipment. 7 possible protection protection equipment. 8 possible protection protection protection equipment. 8 possible protection protection protection equipment. 9 possible protection protection equipment. 9 possible protection protection protection equipment. 9 possible protection protec

141-43-5	2-aminoethanoi	o ppm
1344-09-8	Silicic acid, sodium salt	5.9 mg/m ³
* PAC-2:		
122-99-6	2-phenoxyethanol	16 ppm
141-43-5	2-aminoethanol	170 ppm
1344-09-8	Silicic acid, sodium salt	65 mg/m³
* PAC-3:		
122-99-6	2-phenoxyethanol	97 ppm
141-43-5	2-aminoethanol	1,000 ppm
		(Contd. on page 3)
L		US



Printing date 04/06/2023

Trade name: Flexoclean FC1000 SL

1344-09-8 Silicic acid, sodium salt

(Contd. of page 2) 390 mg/m³

7 Handling and storage

- * Handling:
- * Precautions for safe handling No special precautions are necessary if used correctly.
- * Information about protection against explosions and fires: No special measures required.
- * Conditions for safe storage, including any incompatibilities
- * Storage:
- * Requirements to be met by storerooms and receptacles: No special requirements.
- * Information about storage in one common storage facility: Not required.
- * Further information about storage conditions: None.
- * Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

* Additional information about design of technical systems: No further data; see item 7.

- * Control parameters
- * Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- * Additional information: The lists that were valid during the creation were used as basis.
- * Exposure controls
- * Personal protective equipment:
- * General protective and hygienic measures: Wash hands before breaks and at the end of work.
- * Breathing equipment: Not necessary if room is well-ventilated.
- * Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

* Material of gloves

Material : butyl rubber + nitrile

Thickness of the glove $: \ge 0.7 \text{ mm}$

Penetration time $:\ge 480 \text{ min}$

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

* Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)



Reviewed on 04/06/2023

Printing date 04/06/2023

Trade name: Flexoclean FC1000 SL

(Contd. of page 3)

* Eye protection:

Safety glasses

* Body protection: Use protective suit.

9 Physical and chemical propert	ies	
* Information on basic physical and chemical properties * General Information		
* Appearance: Form: Color: * Odor: * Odor threshold:	Fluid Light red Characteristic Not determined.	
* pH-value at 20 °C (68 °F):	11.4	
* Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
* Flash point:	>90 °C (>194 °F)	
* Flammability (solid, gaseous):	Not applicable.	
* Ignition temperature:	240 °C (464 °F)	
* Decomposition temperature:	Not determined.	
* Auto igniting:	Product is not selfigniting.	
* Danger of explosion: * Lower: * Upper:	Product does not present an explosion hazard. Not determined. Not determined.	
* Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
* Density at 20 °C (68 °F): * Relative density * Vapor density * Evaporation rate	1.01 g/cm ³ (8.43 lbs/gal) Not determined. Not determined. Not determined.	
* Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
 * Partition coefficient (n-octanol/water * Dynamic: * Kinematic: * Solvent content: VOC): Not determined. Not determined. Not determined. 0.74 %	
* Other information	No further relevant information available.	

10 Stability and reactivity

* Reactivity No further relevant information available.

(Contd. on page 5)

⁻US



Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: Flexoclean FC1000 SL

(Contd. of page 4)

- * Chemical stability
- * Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- * Possibility of hazardous reactions No dangerous reactions known.
- * Conditions to avoid No further relevant information available.
- * Incompatible materials: No further relevant information available.
- * Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- * Information on toxicological effects
- * Acute toxicity:
- * LD/LC50 values that are relevant for classification:

105-59-9 2,2'-(methylimino)diethanol

Oral LD50 4,780 mg/kg (rat)

122-99-6 2-phenoxyethanol

Oral LD50 1,394 mg/kg (ATE) 1,260 mg/kg (rat)

Dermal LD50 5,000 mg/kg (rabbit)

2605-79-0 Alkyl dimethylamine oxide

Oral LD50 100 mg/kg (ATE)

- * Primary irritant effect:
- * on the skin: Irritant to skin and mucous membranes.
- * on the eye:

Strong irritant with the danger of severe eye injury.

- Irritating effect.
- * Sensitization: No sensitizing effects known.
- * Additional toxicological information:
- * Carcinogenic categories
- * IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

* NTP (National Toxicology Program)

None of the ingredients is listed.

* OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- * Toxicity
- * Aquatic toxicity: No further relevant information available.
- * Persistence and degradability No further relevant information available.
- * Behavior in environmental systems:
- * Bioaccumulative potential No further relevant information available.
- * Mobility in soil No further relevant information available.
- * Additional ecological information:
- * General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 6)



Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: Flexoclean FC1000 SL

(Contd. of page 5)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

* Results of PBT and vPvB assessment

* **PBT:** Not applicable.

* **vPvB:** Not applicable.

* Other adverse effects No further relevant information available.

13 Disposal considerations

* Waste treatment methods

* Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- * Uncleaned packagings:
- * Recommendation: Disposal must be made according to official regulations.

14 Transport information

* UN-Number * DOT, ADR, IMDG, IATA	Void
* UN proper shipping name * DOT, ADR, IMDG, IATA	Void
* Transport hazard class(es)	
* DOT, ADR, ADN, IMDG, IATA * Class	Void
* Packing group * DOT, ADR, IMDG, IATA	Void
* Environmental hazards:	Not applicable.
* Special precautions for user	Not applicable.
* Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	f Not applicable.
* UN "Model Regulation":	Void

15 Regulatory information

* Safety, health and environmental regulations/legislation specific for the substance or mixture * Sara

* Section 355 (extremely hazardous substances):

None of the ingredient is listed.

* Section 313 (Specific toxic chemical listings):

122-99-6 2-phenoxyethanol

(Contd. on page 7)

US



data 01/06/2022

~

Printing date 04/06/2023	Reviewed on 04/06/2023
Trade name: Flexoclean FC1000 SL	
	(Contd. of page 6)
* TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
* Hazardous Air Pollutants	
None of the ingredients is listed.	
* Proposition 65	
* Chemicals known to cause cancer:	
None of the ingredients is listed.	
* Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
* Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
* Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
* Cancerogenity categories	
* EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
* TLV (Threshold Limit Value)	
None of the ingredients is listed.	
* MAK (German Maximum Workplace Concentration)	
None of the ingredients is listed.	
* NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
* National regulations:	
* Technical instructions (air):	
Class Share in %	
NK 0.7	
* Water hazard class: Water hazard class 1 (Self-assessment): slightly * Chemical safety assessment: A Chemical Safety Assessment has n	

16 Other information

The information given in this Material Safety Sheet refer to the product described in this sheet, and is provided in the supposition that the product will be used in a proper way and for the purpose indicated by the manufacturer.

It is the responsibility of the user to take advised precautions, and also to make sure that this information is complete and sufficient for the use of the product. It is recommended to pass this information, if necessary, in an adapted form, to personnel and other interested parties.

Manufacturer does not carry any responsibility for use of the product, in any way, which is not in accordance with the instructions and the purposes indicated by the manufacturer.

* Classification according to Regulation (EC) No 1272/2008 Based on test data and own calculation method

(Contd. on page 8)

- US

Clean Solutions Group. | Packaging print

Safety Data Sheet acc. to OSHA HCS

Printing date 04/06/2023

Reviewed on 04/06/2023

Trade name: Flexoclean FC1000 SL	
* Contact: * NFPA-ratings (scale 0 - 4)	(Contd. of page 7)
Health = 2 Fire = 2 Reactivity = 0	
* HMIS-ratings (scale 0 - 4)	
HEALTH12FIRE2FIRE2REACTIVITY0	
 * Date of preparation / last revision 04/06/2023 * Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 3: Acute toxicity – Category 3 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A * Sources http://echa.europa.eu ** Data compared to the previous version altered. * 	US —