

Printing date 03/30/2023

Reviewed on 03/30/2023

#### 1 Identification

- \* Product identifier
- \* Trade name: Flexoclean HQ Power SL
- \* Article number: 1151
- \* Application of the substance / the mixture Cleaning agent/ Cleaner
- \* Details of the supplier of the safety data sheet
- \* Manufacturer/Supplier:

Clean Solutions Group

Bliek 8

4941 SG Raamsdonksveer - NL Tel.: +31 (0)162 - 57 6 222

Email: info@cleansolutionsgroup.eu Website: www.cleansolutionsgroup.eu

Distributor:

The Provident Group 2319 East Pensar Drive Appleton, WI 54911 Tel.: 1-920-733-5415

Email: info@providentgrp.com

\* Emergency telephone number:

Clean Solutions Group: +31 (0)162 - 57 62 29 National Capital Poison Center: 1-800-222-1222

These services are only available to health professionals

## 2 Hazard(s) identification

\* Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- \* Label elements
- \* GHS label elements Void
- \* Hazard pictograms Void
- \* Signal word Void
- \* Hazard statements Void
- \* Other hazards
- \* Results of PBT and vPvB assessment
- \* **PBT:** Not applicable. \* **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- \* Chemical characterization: Mixtures
- \* **Description:** Mixture of the substances listed below with nonhazardous additions.

## \* Dangerous components:

112-34-5	2-(2-butoxyethoxy)ethanol	( <u>()</u> ) E	Eye Irritation 2A, H319	1-5%
105-59-9	2,2'-(methylimino)diethanol	<b>♦</b> E	Eye Irritation 2A, H319	1-5%

### 4 First-aid measures

- \* Description of first aid measures
- \* **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- \* After skin contact: Immediately rinse with water.

(Contd. on page 2)



Printing date 03/30/2023 Reviewed on 03/30/2023

Trade name: Flexoclean HQ Power SL

(Contd. of page 1)

- \* After eye contact: Rinse opened eye for several minutes under running water.
- \* After swallowing: If symptoms persist consult doctor.
- \* Information for doctor:
- \* Most important symptoms and effects, both acute and delayed

No further relevant information available.

\* Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- \* Extinguishing media
- \* Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \* Special hazards arising from the substance or mixture No further relevant information available.
- \* Advice for firefighters
- \* Protective equipment: No special measures required.

## 6 Accidental release measures

- \* Personal precautions, protective equipment and emergency procedures Not required.
- \* Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

\* Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

\* Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

\* Protective Action Criteria for Chemicals

* PAC-1:		
112-34-5	2-(2-butoxyethoxy)ethanol	30 ppm
122-99-6	2-phenoxyethanol	1.5 ppm
141-43-5	2-aminoethanol	6 ppm
1344-09-8	Silicic acid, sodium salt	5.9 mg/m <sup>3</sup>
* PAC-2:		
112-34-5	2-(2-butoxyethoxy)ethanol	33 ppm
122-99-6	2-phenoxyethanol	16 ppm
141-43-5	2-aminoethanol	170 ppm
1344-09-8	Silicic acid, sodium salt	65 mg/m <sup>3</sup>
* PAC-3:		
112-34-5	2-(2-butoxyethoxy)ethanol	200 ppm
122-99-6	2-phenoxyethanol	97 ppm
141-43-5	2-aminoethanol	1,000 ppm
1344-09-8	Silicic acid, sodium salt	390 mg/m <sup>3</sup>
		•

## 7 Handling and storage

- \* Handling:
- \* Precautions for safe handling No special precautions are necessary if used correctly.

(Contd. on page 3)



Printing date 03/30/2023 Reviewed on 03/30/2023

Trade name: Flexoclean HQ Power SL

(Contd. of page 2)

- \* Information about protection against explosions and fires: No special measures required.
- \* Conditions for safe storage, including any incompatibilities
- \* Storage:
- \* Requirements to be met by storerooms and receptacles: No special requirements.
- \* Information about storage in one common storage facility: Not required.
- \* Further information about storage conditions: None.
- \* Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- \* Additional information about design of technical systems: No further data; see item 7.
- \* Control parameters
- \*Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 112-34-5 2-(2-butoxyethoxy)ethanol

TLV Long-term value: 10\* ppm
\*Inhalable fraction and vapor

- \* Additional information: The lists that were valid during the creation were used as basis.
- \* Exposure controls
- \* Personal protective equipment:
- \* General protective and hygienic measures: Wash hands before breaks and at the end of work.
- \* Breathing equipment: Not necessary if room is well-ventilated.
- \* Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

\* Material of gloves

Material : butyl rubber + nitrile Thickness of the glove : ≥ 0.7 mm Penetration time : ≥ 480 min

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

\* Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

\* Eve protection:



(Contd. on page 4)



Printing date 03/30/2023 Reviewed on 03/30/2023

Trade name: Flexoclean HQ Power SL

\* Body protection: Use protective suit.

(Contd. of page 3)

9 Physical and chemical properti	ing.				
*Information on basic physical and chemical properties					
* General Information	emical properties				
* Appearance:					
Form:	Fluid				
Color:	Light green				
*Odor:	Characteristic				
* Odor threshold:	Not determined.				
* pH-value at 20 °C (68 °F):	11.2				
* Change in condition					
Melting point/Melting range:	Undetermined.				
Boiling point/Boiling range:	100 °C (212 °F)				
* Flash point:	Not applicable.				
* Flammability (solid, gaseous):	Not applicable.				
* Decomposition temperature:	Not determined.				
* Auto igniting:	Product is not selfigniting.				
* Danger of explosion:	Product does not present an explosion hazard.				
* Lower:	Not determined.				
* Upper:	Not determined.				
* Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)				
* Density at 20 °C (68 °F):	1.01 g/cm <sup>3</sup> (8.43 lbs/gal)				
* Relative density	Not determined.				
* Vapor density	Not determined.				
* Evaporation rate	Not determined.				
* Solubility in / Miscibility with	- w				
Water:	Fully miscible.				
* Partition coefficient (n-octanol/water)					
* Dynamic:	Not determined.				
* Kinematic:	Not determined.				
* Solvent content: VOC	5.49 %				
* Other information	No further relevant information available.				

## 10 Stability and reactivity

- \* Reactivity No further relevant information available.
- \* Chemical stability
- \* Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- \* Possibility of hazardous reactions No dangerous reactions known.
- \* Conditions to avoid No further relevant information available.
- \* Incompatible materials: No further relevant information available.

(Contd. on page 5)



Printing date 03/30/2023 Reviewed on 03/30/2023

Trade name: Flexoclean HQ Power SL

(Contd. of page 4)

\* Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- \* Information on toxicological effects
- \* Acute toxicity:
- \* LD/LC50 values that are relevant for classification:

#### 112-34-5 2-(2-butoxyethoxy)ethanol

Oral LD50 5,660 mg/kg (rat)
Dermal LD50 4,000 mg/kg (rabbit)

### 105-59-9 2,2'-(methylimino)diethanol

Oral LD50 4,780 mg/kg (rat)

- \* Primary irritant effect:
- \* on the skin: Irritant to skin and mucous membranes.
- \* on the eve:

Strong irritant with the danger of severe eye injury. Irritating effect.

- \* Additional toxicological information:
- \* Carcinogenic categories
- \*IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

\* NTP (National Toxicology Program)

None of the ingredients is listed.

\* OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- \* Toxicity
- \* Aquatic toxicity: No further relevant information available.
- \* Persistence and degradability No further relevant information available.
- \* Behavior in environmental systems:
- \* Bioaccumulative potential No further relevant information available.
- \* Mobility in soil No further relevant information available.
- \* Additional ecological information:
- \* General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- \* Results of PBT and vPvB assessment
- \* PBT: Not applicable.
- \* vPvB: Not applicable.
- \* Other adverse effects No further relevant information available.

JS ·



Printing date 03/30/2023 Reviewed on 03/30/2023

Trade name: Flexoclean HQ Power SL

(Contd. of page 5)

### 13 Disposal considerations

- \* Waste treatment methods
- \* Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- \* Uncleaned packagings:
- \* **Recommendation:** Disposal must be made according to official regulations.
- \* Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
* UN-Number * DOT, ADR, IMDG, IATA	Void
* UN proper shipping name * DOT, ADR, IMDG, IATA	Void
* Transport hazard class(es)	
* DOT, ADR, ADN, IMDG, IATA * Class	Void
* Packing group * DOT, ADR, IMDG, IATA	Void
* Environmental hazards:	Not applicable.
* Special precautions for user	Not applicable.
*Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
* UN "Model Regulation":	Void

## 15 Regulatory information

- \* Safety, health and environmental regulations/legislation specific for the substance or mixture
- \* Sara
- \* Section 355 (extremely hazardous substances):

None of the ingredient is listed.

\* Section 313 (Specific toxic chemical listings):

112-34-5 2-(2-butoxyethoxy)ethanol

122-99-6 2-phenoxyethanol

\* TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

\* Hazardous Air Pollutants

None of the ingredients is listed.

- \* Proposition 65
- \* Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 7)



Printing date 03/30/2023 Reviewed on 03/30/2023

Trade name: Flexoclean HQ Power SL

(Contd. of page 6)

\* Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

\* Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

\* Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

\* Cancerogenity categories

\* EPA (Environmental Protection Agency)

None of the ingredients is listed.

\*TLV (Threshold Limit Value)

None of the ingredients is listed.

\* MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

\* NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- \* National regulations:
- \* Technical instructions (air):

Class	Share in %
NK	5.5

- \* Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- \* Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

The information given in this Material Safety Sheet refer to the product described in this sheet, and is provided in the supposition that the product will be used in a proper way and for the purpose indicated by the manufacturer.

It is the responsibility of the user to take advised precautions, and also to make sure that this information is complete and sufficient for the use of the product. It is recommended to pass this information, if necessary, in an adapted form, to personnel and other interested parties.

Manufacturer does not carry any responsibility for use of the product, in any way, which is not in accordance with the instructions and the purposes indicated by the manufacturer.

- \* Classification according to Regulation (EC) No 1272/2008

  Based on test data and own calculation method
- \* Contact:
- \* NFPA-ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

\* HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 0 Reactivity = 0



Printing date 03/30/2023 Reviewed on 03/30/2023

### Trade name: Flexoclean HQ Power SL

\* Date of preparation / last revision 03/30/2023

\* Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

\* Sources http://echa.europa.eu

\*\* Data compared to the previous version altered. \*

(Contd. of page 7)