

Printing date 03/30/2023

Reviewed on 03/30/2023

### 1 Identification

- \* Product identifier
- \* Trade name: Flexoclean Coating Cleaner
- \* Article number: 1600
- \* Application of the substance / the mixture Cleaning agent/ Cleaner
- \* Details of the supplier of the safety data sheet
- \* Manufacturer/Supplier:

Clean Solutions Group

Bliek 8

4941 SG Raamsdonksveer - NL Tel.: +31 (0)162 - 57 6 222

Email: info@cleansolutionsgroup.eu Website: www.cleansolutionsgroup.eu

Distributor:

The Provident Group 2319 East Pensar Drive Appleton, WI 54911 Tel.: 1-920-733-5415

Email: info@providentgrp.com

\* Emergency telephone number:

Clean Solutions Group: +31 (0)162 - 57 62 29 National Capital Poison Center: 1-800-222-1222

These services are only available to health professionals

# 2 Hazard(s) identification

#### \* Classification of the substance or mixture

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

- \* Label elements
- \* GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

\* Hazard pictograms



GHS07

### \* Signal word Warning

#### \* Hazard-determining components of labeling:

2-phenoxyethanol

2-[2-(2-butoxyethoxy)ethoxy]ethanol

2-aminoethanol

C10 Alcoholethoxylaat

#### \* Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

# \* Precautionary statements

P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.
P302+P352 If on skin: Wash with plenty of water.

(Contd. on page 2)



Printing date 03/30/2023 Reviewed on 03/30/2023

### Trade name: Flexoclean Coating Cleaner

(Contd. of page 1)

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

- \* Other hazards
- \* Results of PBT and vPvB assessment
- \* **PBT:** Not applicable. \* **vPvB:** Not applicable.

# 3 Composition/information on ingredients

- \* Chemical characterization: Mixtures
- \* **Description:** Mixture of the substances listed below with nonhazardous additions.

Description: Wixture of the substances listed below with normalizations additions.		
•		
	10-25%	
Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Flammable Liquids 4, H227		
L	1-5%	
• • • · · · · · · · · · · · · · · · ·		
	1-5%	
Acute Toxicity - Oral 4, H302; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335		
Triethanolamine	1-5%	
C10 Alcoholethoxylaat	1-5%	
Eye Damage 1, H318; 🗘 Acute Toxicity - Oral 4, H302		
2-aminoethanol	1-5%	
Skin Corrosion 1A, H314; Eye Damage 1, H318;  Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332; Specific Target Organ Toxicity - Single Exposure 3, H335		
	butyl cellosolve  Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Flammable Liquids 4, H227  2-[2-(2-butoxyethoxy)ethoxy]ethanol  Eye Damage 1, H318  2-phenoxyethanol  Acute Toxicity - Oral 4, H302; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335  Triethanolamine  C10 Alcoholethoxylaat  Eye Damage 1, H318; Acute Toxicity - Oral 4, H302  2-aminoethanol  Skin Corrosion 1A, H314; Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332;	

### 4 First-aid measures

- \* Description of first aid measures
- \* After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- \* After skin contact: Immediately rinse with water.
- \* After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- \* After swallowing: If symptoms persist consult doctor.
- \* Information for doctor:
- \* Most important symptoms and effects, both acute and delayed

No further relevant information available.

\* Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- \* Extinguishing media
- \* Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



Printing date 03/30/2023 Reviewed on 03/30/2023

Trade name: Flexoclean Coating Cleaner

(Contd. of page 2)

- \* Special hazards arising from the substance or mixture No further relevant information available.
- \* Advice for firefighters
- \* Protective equipment: No special measures required.

#### 6 Accidental release measures

- \* Personal precautions, protective equipment and emergency procedures Not required.
- \* Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

\* Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

\* Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

\* Protective Action Criteria for Chemicals

* PAC-1:		
111-76-2	butyl cellosolve	60 ppm
122-99-6	122-99-6 2-phenoxyethanol	
102-71-6	Triethanolamine	15 mg/m <sup>3</sup>
141-43-5	41-43-5 2-aminoethanol	
1344-09-8	Silicic acid, sodium salt	
* PAC-2:		
111-76-2	butyl cellosolve	120 ppm
122-99-6	2-phenoxyethanol	16 ppm
102-71-6	Triethanolamine	240 mg/m <sup>3</sup>
141-43-5	2-aminoethanol	170 ppm
1344-09-8	Silicic acid, sodium salt	
* PAC-3:		
111-76-2	butyl cellosolve	700 ppm
122-99-6	6 2-phenoxyethanol 97 ppm	
102-71-6	Triethanolamine 1,500 mg/r	
141-43-5	2-aminoethanol	1,000 ppm
1344-09-8	Silicic acid, sodium salt	390 mg/m <sup>3</sup>

### 7 Handling and storage

- \* Handling:
- \* **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- \* Information about protection against explosions and fires: No special measures required.
- \* Conditions for safe storage, including any incompatibilities
- \* Storage:
- \* Requirements to be met by storerooms and receptacles: No special requirements.
- \* Information about storage in one common storage facility: Not required.
- \* Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)



Printing date 03/30/2023 Reviewed on 03/30/2023

Trade name: Flexoclean Coating Cleaner

(Contd. of page 3)

\* **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- \* Additional information about design of technical systems: No further data; see item 7.
- \* Control parameters
- \* Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

### 111-76-2 butyl cellosolve

PEL Long-term value: 240 mg/m<sup>3</sup>, 50 ppm

Skin

REL Long-term value: 24 mg/m³, 5 ppm

Skin

TLV Long-term value: 20 ppm

BEI, A3

#### 102-71-6 Triethanolamine

TLV Long-term value: 5 mg/m<sup>3</sup>

#### 141-43-5 2-aminoethanol

PEL Long-term value: 6 mg/m³, 3 ppm

REL Short-term value: 15 mg/m³, 6 ppm

Long-term value: 8 mg/m³, 3 ppm

TLV Short-term value: 6 ppm Long-term value: 3 ppm

## \* Ingredients with biological limit values:

# 111-76-2 butyl cellosolve

BEI 200 mg/g creatinine

Medium: urine Time: end of shift

Parameter: Butoxyacetic acid (BAA) (with hydrolysis)

- \* Additional information: The lists that were valid during the creation were used as basis.
- \* Exposure controls
- \* Personal protective equipment:
- \* General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- \* Breathing equipment: Not necessary if room is well-ventilated.
- \* Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)



Printing date 03/30/2023 Reviewed on 03/30/2023

## Trade name: Flexoclean Coating Cleaner

(Contd. of page 4)

\* Material of gloves

Material : butyl rubber + nitrile Thickness of the glove :  $\geq 0.7$  mm Penetration time :  $\geq 480$  min

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## \* Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

\* Eye protection:



Safety glasses



Tightly sealed goggles

\* Body protection: Use protective suit.

# 9 Physical and chemical properties

\* Information on basic physical and chemical properties

\* General Information

\* Appearance:

Form: Fluid Clear

\* Odor: Characteristic
\* Odor threshold: Not determined.

\* pH-value at 20 °C (68 °F): 11.4

\* Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F)

\* Flash point: 95 °C (203 °F)

\* Flammability (solid, gaseous): Not applicable.

\* Ignition temperature: 240 °C (464 °F)

\* **Decomposition temperature:** Not determined.

\* **Auto igniting:** Product is not selfigniting.

\* **Danger of explosion:** Product does not present an explosion hazard.

\* **Lower:** 1.1 Vol % \* **Upper:** 10.6 Vol %

\* Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

\* Density at 20 °C (68 °F): 1 g/cm³ (8.35 lbs/gal)

\* Relative density Not determined.

\* Vapor density Not determined.

(Contd. on page 6)



Printing date 03/30/2023 Reviewed on 03/30/2023

### Trade name: Flexoclean Coating Cleaner

	(0	Contd. of page 5)
* Evaporation rate	Not determined.	
* Solubility in / Miscibility with		
Water:	Fully miscible.	
* Partition coefficient (n-octanol/water	r): Not determined.	
* Dynamic:	Not determined.	
* Kinematic:	Not determined.	
*Solvent content:		
VOC	20.96 %	
* Other information	No further relevant information available.	

# 10 Stability and reactivity

- \* Reactivity No further relevant information available.
- \* Chemical stability
- \* Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- \* Possibility of hazardous reactions No dangerous reactions known.
- \* Conditions to avoid No further relevant information available.
- \* Incompatible materials: No further relevant information available.
- \* Hazardous decomposition products: No dangerous decomposition products known.

44 T		forms of the m		
11 Toxicol	ogical in	formation		
	* Information on toxicological effects			
	* Acute toxicity:			
		t are relevant for classification:		
111-76-2 I	outyl cello	solve		
Oral	LD50	1,200 mg/kg (ATE)		
		1,480 mg/kg (rat)		
Dermal	LD50	400 mg/kg (rat)		
Inhalative	LC50/4 h	11 mg/l (ATE)		
122-99-6	122-99-6 2-phenoxyethanol			
Oral	LD50	1,394 mg/kg (ATE)		
		1,260 mg/kg (rat)		
Dermal	LD50	5,000 mg/kg (rabbit)		
102-71-6	<b>Friethanol</b>	amine		
Oral	LD50	8,000 mg/kg (rat)		
160875-66	6-1 C10 Al	coholethoxylaat		
Oral	LD50	1,200 mg/kg (rat)		
Dermal	LD50	>2,000 mg/kg (rabbit)		
141-43-5	141-43-5 2-aminoethanol			
Oral	LD50	2,050 mg/kg (rat)		
Dermal	LD50	1,000 mg/kg (rabbit)		
Inhalative	LC50/4 h	11 mg/l (ATE)		

<sup>\*</sup> Primary irritant effect:

(Contd. on page 7)

<sup>\*</sup> on the skin: Irritant to skin and mucous membranes.



Printing date 03/30/2023 Reviewed on 03/30/2023

#### Trade name: Flexoclean Coating Cleaner

(Contd. of page 6)

\* on the eye:

Strong irritant with the danger of severe eye injury. Irritating effect.

- \* Sensitization: No sensitizing effects known.
- \* Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

\* Carcinogenic categories

Carcinogenic categories			
*IARC (International Agency for Research on Cancer)			
111-76-2 butyl cellosolve	3		
102-71-6 Triethanolamine	3		
* NTP (National Toxicology Program)			
None of the ingredients is listed.			
* OSHA-Ca (Occupational Safety & Health Administration)			
None of the ingredients is listed.			

# 12 Ecological information

- \* Toxicity
- \* Aquatic toxicity: No further relevant information available.
- \* Persistence and degradability No further relevant information available.
- \* Behavior in environmental systems:
- \* Bioaccumulative potential No further relevant information available.
- \* Mobility in soil No further relevant information available.
- \* Additional ecological information:
- \* General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- \* Results of PBT and vPvB assessment
- \* PBT: Not applicable.
- \* vPvB: Not applicable.
- \* Other adverse effects No further relevant information available.

# 13 Disposal considerations

- \* Waste treatment methods
- \* Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- \* Uncleaned packagings:
- \* **Recommendation:** Disposal must be made according to official regulations.
- \* Recommended cleansing agent: Water, if necessary with cleansing agents.

US ·



Printing date 03/30/2023 Reviewed on 03/30/2023

Trade name: Flexoclean Coating Cleaner

(Contd. of page 7)

14 Transport information		
* UN-Number * DOT, ADR, IMDG, IATA	Void	
* UN proper shipping name * DOT, ADR, IMDG, IATA	Void	
*Transport hazard class(es)		
* DOT, ADR, ADN, IMDG, IATA * Class	Void	
* Packing group * DOT, ADR, IMDG, IATA	Void	
* Environmental hazards:	Not applicable.	
* Special precautions for user	Not applicable.	
* Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
* UN "Model Regulation":	Void	

15 Regulate	ory int	orma	tion	
**			_	

- \* Safety, health and environmental regulations/legislation specific for the substance or mixture
- \* Sara
- \* Section 355 (extremely hazardous substances):

None of the ingredient is listed.

- \* Section 313 (Specific toxic chemical listings):
- 111-76-2 butyl cellosolve
- 143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol
- 122-99-6 2-phenoxyethanol
- \*TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- \* Hazardous Air Pollutants
- None of the ingredients is listed.
- \* Proposition 65
- \* Chemicals known to cause cancer:

None of the ingredients is listed.

\* Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

\* Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

\* Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- \* Cancerogenity categories
- \* EPA (Environmental Protection Agency)

111-76-2 butyl cellosolve

NL

(Contd. on page 9)



Printing date 03/30/2023 Reviewed on 03/30/2023

### Trade name: Flexoclean Coating Cleaner

\*TLV (Threshold Limit Value)

111-76-2 | butyl cellosolve | A3

\*MAK (German Maximum Workplace Concentration)

111-76-2 | butyl cellosolve | 4

\*NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

### \* National regulations:

\* Technical instructions (air):

Class	Share in %
NK	21.0

- \* Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- \* Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

The information given in this Material Safety Sheet refer to the product described in this sheet, and is provided in the supposition that the product will be used in a proper way and for the purpose indicated by the manufacturer.

It is the responsibility of the user to take advised precautions, and also to make sure that this information is complete and sufficient for the use of the product. It is recommended to pass this information, if necessary, in an adapted form, to personnel and other interested parties.

Manufacturer does not carry any responsibility for use of the product, in any way, which is not in accordance with the instructions and the purposes indicated by the manufacturer.

- \* Classification according to Regulation (EC) No 1272/2008
- Based on test data and own calculation method
- \* Contact:
- \* NFPA-ratings (scale 0 4)



Health = 2 Fire = 1 Reactivity = 0

\* HMIS-ratings (scale 0 - 4)



Health = \*2 Fire = 1 Reactivity = 0

- \* Date of preparation / last revision 03/30/2023
- \* Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic



Printing date 03/30/2023 Reviewed on 03/30/2023

### Trade name: Flexoclean Coating Cleaner

(Contd. of page 9)

SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flammable Liquids 4: Flammable liquids – Category 4
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

\* Sources http://echa.europa.eu

<sup>\*\*</sup> Data compared to the previous version altered. \*