

1 Identification

*** Product identifier***** Trade name: Flexoclean FC4059 - Multicleaner UV/SB-AS***** Article number:** 1875*** Application of the substance / the mixture** Cleaning agent/ Cleaner*** Details of the supplier of the safety data sheet***** Manufacturer/Supplier:**

Clean Solutions Group
Bliek 8
4941 SG Raamsdonksveer - NL
Tel.: +31 (0)162 - 57 6 222
Email: info@cleansolutionsgroup.eu
Website: www.cleansolutionsgroup.eu

Distributor:
The Provident Group
2319 East Pensar Drive
Appleton, WI 54911
Tel.: 1-920-733-5415
Email: info@providentgrp.com

*** Emergency telephone number:**

Clean Solutions Group: +31 (0)162 - 57 62 29
National Capital Poison Center: 1-800-222-1222
These services are only available to health professionals

2 Hazard(s) identification

*** Classification of the substance or mixture**

Flammable Liquids 4 H227 Combustible liquid.

*** Label elements***** GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

*** Hazard pictograms** Void*** Signal word** Warning*** Hazard statements**

H227 Combustible liquid.

*** Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P210 Keep away from flames and hot surfaces. – No smoking.
P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

*** Other hazards***** Results of PBT and vPvB assessment***** PBT:** Not applicable.*** vPvB:** Not applicable.

3 Composition/information on ingredients

*** Chemical characterization: Mixtures***** Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

US

Trade name: Flexoclean FC4059 - Multicleaner UV/SB-AS

(Contd. of page 1)

*** Dangerous components:**

111-90-0	Diethylene glycol monoethyl ether	Flammable Liquids 4, H227	50-100%
----------	-----------------------------------	---------------------------	---------

4 First-aid measures

*** Description of first aid measures**

- * **General information:** No special measures required.
- * **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- * **After skin contact:** Immediately rinse with water.
- * **After eye contact:** Rinse opened eye for several minutes under running water.
- * **After swallowing:** If symptoms persist consult doctor.
- * **Information for doctor:**
- * **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- * **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- * **Extinguishing media**
- * **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- * **Special hazards arising from the substance or mixture** No further relevant information available.
- * **Advice for firefighters**
- * **Protective equipment:** No special measures required.

6 Accidental release measures

- * **Personal precautions, protective equipment and emergency procedures** Not required.
- * **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- * **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- * **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- * **Protective Action Criteria for Chemicals**

* **PAC-1:**
All components have the value 75 ppm.

* **PAC-2:**
All components have the value 100 ppm.

* **PAC-3:**
All components have the value 450 ppm.

Trade name: Flexoclean FC4059 - Multicleaner UV/SB-AS

(Contd. of page 2)

7 Handling and storage

- * **Handling:**
- * **Precautions for safe handling** No special measures required.
- * **Information about protection against explosions and fires:** No special measures required.
- * **Conditions for safe storage, including any incompatibilities**
- * **Storage:**
- * **Requirements to be met by storerooms and receptacles:** No special requirements.
- * **Information about storage in one common storage facility:** Not required.
- * **Further information about storage conditions:** None.
- * **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- * **Additional information about design of technical systems:** No further data; see item 7.

* Control parameters

- * **Components with limit values that require monitoring at the workplace:**

111-90-0 Diethylene glycol monoethyl ether

WEEL Long-term value: 25 ppm

- * **Additional information:** The lists that were valid during the creation were used as basis.

* Exposure controls

* Personal protective equipment:

* General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

* Breathing equipment:

Not necessary if room is well-ventilated.

* Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

* Material of gloves

Material : butyl rubber + nitrile

Thickness of the glove : ≥ 0.7 mm

Penetration time : ≥ 480 min

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

* Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

* Eye protection:



Safety glasses

- * **Body protection:** Use protective suit.

US

(Contd. on page 4)

Trade name: Flexoclean FC4059 - Multicleaner UV/SB-AS

(Contd. of page 3)

9 Physical and chemical properties

* Information on basic physical and chemical properties

* General Information

* Appearance:

Form:	Fluid
Color:	Clear
* Odor:	Characteristic
* Odor threshold:	Not determined.

* pH-value: Not determined.

* Change in condition

Melting point/Melting range:	-96 °C (-140.8 °F)
Boiling point/Boiling range:	202.7 °C (396.9 °F)

* Flash point: 93 °C (199.4 °F)

* Flammability (solid, gaseous): Not applicable.

* Ignition temperature: 190 °C (374 °F)

* Decomposition temperature: Not determined.

* Auto igniting: Product is not selfigniting.

* Danger of explosion: Product does not present an explosion hazard.

* Lower: 1.2 Vol %

* Upper: 11.6 Vol %

* Vapor pressure at 20 °C (68 °F): 0.13 hPa (0.1 mm Hg)

* Density at 20 °C (68 °F): 0.99 g/cm³ (8.26 lbs/gal)

* Relative density: Not determined.

* Vapor density: Not determined.

* Evaporation rate: Not determined.

* Solubility in / Miscibility with

Water: Fully miscible.

* Partition coefficient (n-octanol/water): Not determined.

* Dynamic: Not determined.

* Kinematic: Not determined.

* Solvent content:
VOC 95.00 %

* Other information: No further relevant information available.

10 Stability and reactivity

* Reactivity: No further relevant information available.

* Chemical stability

* Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

* Possibility of hazardous reactions: No dangerous reactions known.

* Conditions to avoid: No further relevant information available.

* Incompatible materials: No further relevant information available.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 03/30/2023

Reviewed on 03/30/2023

Trade name: Flexoclean FC4059 - Multicleaner UV/SB-AS

(Contd. of page 4)

* **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

* **Information on toxicological effects**

* **Acute toxicity:**

* **LD/LC50 values that are relevant for classification:**

111-90-0 Diethylene glycol monoethyl ether

Oral	LD50	5,500 mg/kg (rat)
Dermal	LD50	8,500 mg/kg (rabbit)

* **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

* **Carcinogenic categories**

* **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

* **NTP (National Toxicology Program)**

None of the ingredients is listed.

* **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

* **Toxicity**

* **Aquatic toxicity:** No further relevant information available.

* **Persistence and degradability** No further relevant information available.

* **Behavior in environmental systems:**

* **Bioaccumulative potential** No further relevant information available.

* **Mobility in soil** No further relevant information available.

* **Additional ecological information:**

* **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

* **Results of PBT and vPvB assessment**

* **PBT:** Not applicable.

* **vPvB:** Not applicable.

* **Other adverse effects** No further relevant information available.

13 Disposal considerations

* **Waste treatment methods**

* **Recommendation:** Smaller quantities can be disposed of with household waste.

* **Uncleaned packagings:**

* **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 6)

Printing date 03/30/2023

Reviewed on 03/30/2023

Trade name: Flexoclean FC4059 - Multicleaner UV/SB-AS

(Contd. of page 5)

 * **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

* UN-Number	Void
* DOT, ADR, IMDG, IATA	Void
* UN proper shipping name	Void
* DOT, ADR, IMDG, IATA	Void
* Transport hazard class(es)	Void
* DOT, ADR, ADN, IMDG, IATA	Void
* Class	Void
* Packing group	Void
* DOT, ADR, IMDG, IATA	Void
* Environmental hazards:	Not applicable.
* Special precautions for user	Not applicable.
* Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
* UN "Model Regulation":	Void

15 Regulatory information

* Safety, health and environmental regulations/legislation specific for the substance or mixture
* Sara
* Section 355 (extremely hazardous substances):
None of the ingredient is listed.
* Section 313 (Specific toxic chemical listings):
All ingredients are listed.
* TSCA (Toxic Substances Control Act):
All components have the value ACTIVE.
* Hazardous Air Pollutants
None of the ingredients is listed.
* Proposition 65
* Chemicals known to cause cancer:
None of the ingredients is listed.
* Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
* Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
* Chemicals known to cause developmental toxicity:
None of the ingredients is listed.

(Contd. on page 7)

US

Trade name: Flexoclean FC4059 - Multicleaner UV/SB-AS

(Contd. of page 6)

*** Cancerogenity categories**
*** EPA (Environmental Protection Agency)**

None of the ingredients is listed.

*** TLV (Threshold Limit Value)**

None of the ingredients is listed.

*** MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

*** NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

*** National regulations:**
*** Technical instructions (air):**

Class	Share in %
NK	95.0

*** Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

*** Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information given in this Material Safety Sheet refer to the product described in this sheet, and is provided in the supposition that the product will be used in a proper way and for the purpose indicated by the manufacturer.

It is the responsibility of the user to take advised precautions, and also to make sure that this information is complete and sufficient for the use of the product. It is recommended to pass this information, if necessary, in an adapted form, to personnel and other interested parties.

Manufacturer does not carry any responsibility for use of the product, in any way, which is not in accordance with the instructions and the purposes indicated by the manufacturer.

*** Contact:**
*** NFPA-ratings (scale 0 - 4)**

 Health = 0
 Fire = 1
 Reactivity = 0

*** HMIS-ratings (scale 0 - 4)**

 HEALTH 0 Health = 0
 FIRE 1 Fire = 1
 REACTIVITY 0 Reactivity = 0

*** Date of preparation / last revision 03/30/2023**
*** Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 8)



Safety Data Sheet
acc. to OSHA HCS

Printing date 03/30/2023

Reviewed on 03/30/2023

Trade name: Flexoclean FC4059 - Multicleaner UV/SB-AS

(Contd. of page 7)

LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flammable Liquids 4: Flammable liquids – Category 4

* **Sources** <http://echa.europa.eu>

** **Data compared to the previous version altered.** *

US