

1 Identification

Product identifier

Trade name: Wash & Print UV Special

Article number: 4276

Application of the substance / the mixture Cleaning agent/ Cleaner

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

TRESU A/S

Venusvej 44

DK-6000 KOLDING

Tel: +45 (0)76 32 35 00

Email: Certificates@tresu.com

Emergency telephone number:

Emergency phone Infotrac (US & Canada)

1-800-535-5053

National Capital Poison Center: 1-800-222-1222

These services are only available to health professionals

2 Hazard(s) identification

Classification of the substance or mixture

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS07

Signal word

 Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P362 Take off contaminated clothing.

P302+P352 If on skin: Wash with plenty of water

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

112-34-5 2-(2-butoxyethoxy)ethanol

Eye Irritation 2A, H319

50-100%

—US—

(Contd. on page 2)

Trade name: Wash & Print UV Special

(Contd. of page 1)

4 First-aid measures

Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:

All components have the value 30 ppm.

PAC-2:

All components have the value 33 ppm.

PAC-3:

All components have the value 200 ppm.

7 Handling and storage

Handling:

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 3)

Trade name: Wash & Print UV Special

(Contd. of page 2)

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

TLV Long-term value: 10* ppm
*Inhalable fraction and vapor

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment: Not necessary if room is well-ventilated.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Material : butyl rubber + nitrile

Thickness of the glove : ≥ 0.7 mm

Penetration time : ≥ 480 min

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses



Tightly sealed goggles

Body protection: Use protective suit.

Trade name: Wash & Print UV Special

(Contd. of page 3)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Color:	Clear
Odor:	Characteristic
Odor threshold:	Not determined.

pH-value: Not determined.

Change in condition

Melting point/Melting range:	-68 °C (-90.4 °F)
Boiling point/Boiling range:	224-234 °C (435.2-453.2 °F)

Flash point: 98 °C (208.4 °F)

Flammability (solid, gaseous): Not applicable.

Ignition temperature: 225 °C (437 °F)

Decomposition temperature: Not determined.

Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Lower: 0.9 Vol %

Upper: 5.9 Vol %

Vapor pressure at 20 °C (68 °F): 0.08 hPa (0.1 mm Hg)

Density at 20 °C (68 °F): 0.95 g/cm³ (7.93 lbs/gal)

Relative density Not determined.

Vapor density Not determined.

Evaporation rate Not determined.

Solubility in / Miscibility with

Water: Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Dynamic: Not determined.

Kinematic: Not determined.

Solvent content:

VOC 95.00 %

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

-US-

(Contd. on page 5)

Trade name: Wash & Print UV Special

(Contd. of page 4)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	LD50	5,660 mg/kg (rat)
Dermal	LD50	4,000 mg/kg (rabbit)

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye:

Strong irritant with the danger of severe eye injury.

Irritating effect.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

- US -

(Contd. on page 6)

Trade name: Wash & Print UV Special

(Contd. of page 5)

14 Transport information

UN-Number <i>DOT, ADR, IMDG, IATA</i>	Void
UN proper shipping name <i>DOT, ADR, IMDG, IATA</i>	Void
Transport hazard class(es) <i>DOT, ADR, ADN, IMDG, IATA</i> Class	Void
Packing group <i>DOT, ADR, IMDG, IATA</i>	Void
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Void

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture <i>Sara</i>	
Section 355 (extremely hazardous substances):	None of the ingredient is listed.
Section 313 (Specific toxic chemical listings):	All ingredients are listed.
TSCA (Toxic Substances Control Act):	All components have the value ACTIVE.
Hazardous Air Pollutants	None of the ingredients is listed.
Proposition 65	
Chemicals known to cause cancer:	None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for females:	None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for males:	None of the ingredients is listed.
Chemicals known to cause developmental toxicity:	None of the ingredients is listed.
Carcinogenicity categories	
EPA (Environmental Protection Agency)	None of the ingredients is listed.
TLV (Threshold Limit Value)	None of the ingredients is listed.
MAK (German Maximum Workplace Concentration)	None of the ingredients is listed.

(Contd. on page 7)

Trade name: Wash & Print UV Special

(Contd. of page 6)

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

National regulations:

Technical instructions (air):

Class	Share in %
NK	95.0

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information given in this Material Safety Sheet refer to the product described in this sheet, and is provided in the supposition that the product will be used in a proper way and for the purpose indicated by the manufacturer.

It is the responsibility of the user to take advised precautions, and also to make sure that this information is complete and sufficient for the use of the product. It is recommended to pass this information, if necessary, in an adapted form, to personnel and other interested parties.

Manufacturer does not carry any responsibility for use of the product, in any way, which is not in accordance with the instructions and the purposes indicated by the manufacturer.

Classification according to Regulation (EC) No 1272/2008 Based on test data and own calculation method

Contact:

NFPA-ratings (scale 0 - 4)



Health = 2
Fire = 1
Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 2
Fire = 1
Reactivity = 0

Date of preparation / last revision 03/30/2023

Abbreviations and acronyms:

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Skin Irritation 2: Skin corrosion/irritation – Category 2
- Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sources <http://echa.europa.eu>

* **Data compared to the previous version altered.** *